

	Type	Hits	Search Text	DBs
1	BRS	108	francis near nguyen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1	mpd and (francis near nguyen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	25146	DVD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	39951	image near stored	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	22169	computer near display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	13701	computer near monitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	94	(DVD and (image near stored)) and ((computer near display) or (computer near monitor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	1288	(aspect adj ratio) and distorted	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	0	((DVD and (image near stored)) and ((computer near display) or (computer near monitor)) and ((aspect adj ratio) and distorted)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	2432	horizontal adj resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	1102	(modify or change) and (horizontal adj resolution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
12	BRS	1363	(vertical adj resolution) and constant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	314	((modify or change) and (horizontal adj resolution)) and (horizontal adj resolution) and ((vertical adj resolution) and constant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	9	((aspect adj ratio) and distorted) and ((modify or change) and (horizontal adj resolution)) and (horizontal adj resolution) and ((vertical adj resolution) and constant))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1	"720x480" and DVD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	44398	348/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	206	((aspect adj ratio) and distorted) and 348/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	242	(345/698-699).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	3	((aspect adj ratio) and distorted) and ((345/698-699).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	"800x480"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	"848x480"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
22	BRS	0	"852x480"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	6	"720x480"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	5	((modify or change) and (horizontal adj resolution) and (horizontal adj resolution) and ((vertical adj resolution) and constant)) and ((345/698-699).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	2	5525764.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	1759	strain adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	1102	integrated near antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	98987	input adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	43	(integrated near antenna) and (input adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	0	(strain adj sensor) and ((integrated near antenna) and (input adj device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	48196	345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	33	(strain adj sensor) and (input adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
33	BRS	1759	strain adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	635	combination adj antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	98987	input adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	0	(strain adj sensor) and (combination adj antenna) and (input adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	21	(combination adj antenna) and (input adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	12458	joystick or (pointing adj stick)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	0	(combination adj antenna) and (joystick or (pointing adj stick))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	10	(strain adj sensor) and (joystick or (pointing adj stick))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	287	strain adj elements	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	0	(combination adj antenna) and (strain adj elements)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	584	strain near resistors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	14	(joystick or (pointing adj stick)) and (strain near resistors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
45	BRS	2	5894301.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	108	FRANCIS NEAR NGUYEN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	15360	temperature and LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	14	(FRANCIS NEAR NGUYEN) and (temperature and LCD)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	12458	joystick or (pointing adj stick)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	602	integrated adj antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	635	combination adj antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	0	(joystick or (pointing adj stick)) and (combination adj antenna)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	33451	mobile adj communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	43	antenna near (input adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB